

ERECTA-SHELF[®]

INDUSTRIAL SHELVING
for the

- WAREHOUSE
- FACTORY
- OFFICE



Open Steel Rod
Construction
**ABSOLUTELY
WITHOUT
EQUAL!**




METROPOLITAN WIRE GOODS CORPORATION

uction makes the difference . . .



Shelves can also be divided with the use of vertical rods. A simple metal clamp fits over the shelf cross support. Rod slides through opening in the clamp and is held snugly in place.




Shelves are assembled at right angles, with the use of a screw type corner brace eliminating the need of an upright. In addition, you utilize every square inch of shelf area for storage.



When shelves are assembled side-by-side and back-to-back, the uprights are held together with a clamp that snaps into place providing a completely rigid assembly. No special tools of any type are needed when assembling Erecta-Shelf.




One of the most unique features of Erecta-Shelf is the design of the shelf itself. The snake or corrugated type bracing on both the front and back makes a completely rigid assembly. Each shelf test loads to 1000 lbs.



The arch design on the bottom of the upright makes cleaning easy. By using Erecta-Shelf, you can keep your storage areas clean at all times with a minimum of maintenance.

ERECTA-SHELF


Wall Mounted



Use Erecta-Shelf for wall storage. Wall brackets available for assembling one to five shelves.

ERECTA-SHELF

Mobile Units



By adding casters to an assembly of Erecta-Shelf, you have a mobile unit ideally suited for transporting materials from one area to another. A wide range of various type casters available.

ive many
are ideal
with fac-

**Design your
storage area
for maximum
efficiency . . .
Full range of
sizes available.**

Shelves . . .

Available in 12" and 18" widths . . . 24", 30", 36", 42", 48", and 60" lengths. Shelves can be assembled back to back for any desired depth.

Uprights . . .

Available in 12", 18" and 24" widths . . . 52½", 63½", 73½" and 88½" heights.



Shelves are adjustable at 5" increments with standard upright. By using Shelf spacers, shelves are adjustable to any increment. Shelves test load to 1000 lbs. of distributed weight. When assembling a mobile unit, reinforced uprights should be used.

Wall Brackets . . .

Available for mounting either 12" and 18" width shelves and from one to five shelves at 5" increments.

Platforms . . .

Available 12" and 18" widths, 11½" high and in lengths of 24", 30", 36", 42" and 48".



National Sanitation
Foundation Approved

Patent Nos. U.S. Patent D185,801
U.S. Patent D195,851
U.S. Patent 2,919,817
Other U.S. and Foreign Patents Pending

U.S. Patent 3,138,123
U.S. Patent 3,137,964
Canadian Patent 651,530

METROPOLITAN WIRE GOODS CORPORATION

DEPARTMENT 30

North Washington Street and George Avenue • Wilkes-Barre, Pennsylvania 18705

Area Code 717 825-2741

ES65-66

SUBSIDIARY PLANT: REXDALE, ONTARIO, CANADA
AREA CODE 416 247-7871